

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	(pll with receiver) and (pll with transmitter) and semi adj duplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:06
L7	0	(pll with receiver) and (pll with transmitter) and (semi with duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:07
L8	16	(pll with receiver) and (pll with transmitter) and (simplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:32
L9	10	"08/907,594"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:14
L11	16	(pll with receiver) and (pll with transmitter) and ((simplex) or (semi with duplex))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:29
L12	0	(pll with receiver) and (pll with transmitter) and (switch with transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:30
L13	90	(pll with receiver) and (pll with transmitter) and (switch with transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:30
L14	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:30
L15	0	((pll with receiver) and (pll with transmitter) and (simplex)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:32

## EAST Search History

L16	1	((pll with receiver) and (pll with transmitter) and ((simplex) or transmission with only)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:33
L17	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:34
L18	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only) or (reception with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:34
L19	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L20	875	(pll with receiver) and (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L21	688	(pll with receiver) with (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L22	162	375/215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L23	3322	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L24	3810	375/376	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L25	1600	375/373	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

## EAST Search History

L26	1016	375/327	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L27	192	375/294	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L28	1218	327/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L29	2871	327/156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L30	201	455/180.3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L31	1801	455/260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L32	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L33	23	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L34	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

## EAST Search History

L35	16	("3921095"   "4061979"   "4238740"   "4365210"   "4389622"   "4419633"   "4625180"   "4667169"   "4812783"   "4841255"   "4951005"   "5008629"   "5103192"   "5124669"   "5128632"   "5304951").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 08:42
L36	3	L21 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L37	25	L21 and L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L38	86	L21 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L39	32	L21 and L25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L40	33	L21 and L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L41	5	L21 and L27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L42	24	L21 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L43	52	L21 and L29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

## EAST Search History

L44	10	L21 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L45	63	L21 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L46	23	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:43
L47	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:43
L48	18	"693835"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43
L49	3	"9626578"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43
L50	2	"5790606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"receiver pll" "transmitter pll" simplex

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 9 of about 16 for "[receiver pll](#)" "[transmitter pll](#)" [simplex](#). (0.99 seconds)

[\[PDF\] 2.64 Gbit/s Full-Duplex Serial Link – Optical Piggyback Board ING\\_TRF](#)

File Format: PDF/Adobe Acrobat

TX\_LOCK = '1' indicates that the **Transmitter PLL** is locked. If TX\_LOCK is de-asserted the ... compatible standard SC Duplex or SC **Simplex** connectors. ...

[www.inova-semiconductors.de/en/datasheets/ing\\_trf\\_ds.pdf](#) -

[Similar pages](#) - [Remove result](#)

[\[PDF\] TKR-750](#)

File Format: PDF/Adobe Acrobat

The **Simplex**/Duplex function is used to specify whether. the channel is used as **simplex** ...  
lowing circuits : 4-1 **receiver PLL** circuit, 4-2 **transmitter PLL** ...

[hamradio.online.ru/ftp3/ser\\_man\\_TKR-750.pdf](#) - [Similar pages](#) - [Remove result](#)

[\[PDF\] benelec.com.au/Yaesu/pdf/MARK-V%20FT-1000MP%20Fiel...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#) - [Remove result](#)

[\[PDF\] HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

two-way **simplex** communications for MARS operation,. or on behalf of a third parties. ... Tx  
PLL Offset - You can offset the **transmitter PLL** ...

[www.va3cr.net/pdf/Manual%20Mark%20V.pdf](#) - [Similar pages](#) - [Remove result](#)

[\[PDF\] Table of Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Page 2. Intraplex E1 Access Server Installation and Operation Manual Issue 1, May  
2000 © Copyright 2002 Harris Corporation. All rights reserved. ...

[www.broadcast.harris.com/product\\_portfolio/prod\\_media/ACS-260\\_V1.1\\_harris.pdf](#) -

Supplemental Result - [Similar pages](#) - [Remove result](#)

[\[PDF\] Table of Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... T1 Access Server Installation & Operation Manual Harris Corporation Issue 1, October  
2000 Intraplex Products 5 4.2.2 **Simplex** vs. Duplex Channel Modules . . . . .

[www.broadcast.harris.com/product\\_portfolio/prod\\_media/AccessServerT1\\_manual.pdf](#) -

Supplemental Result - [Similar pages](#) - [Remove result](#)

[ [More results from www.broadcast.harris.com](#) ]

[\[PDF\] HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. HF TRANSCEIVER Operating Manual VERTEX STANDARD CO., LTD. 4-8-8  
Nakameguro, Meguro-Ku, Tokyo 153-8644, Japan VERTEX STANDARD ...

[drele.com/zips/ft-1000mpm.pdf](#) - Supplemental Result - [Similar pages](#) - [Remove result](#)

[\[PDF\] HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Switch **Simplex** Operation (R = 00H), Minus Shift (R = 01H),. or Plus Shift (R = 02H) for  
Repeater ... Tx PLL Offset - You can offset the **transmitter PLL** ...

[www.wvc.edu/arc/manuals/mark\\_v\\_f.pdf](#) - [Similar pages](#) - [Remove result](#)

[\[PDF\] kb2ljj.serveftp.com/kenwood/TKR-750%20Service%20Ma...](#)

File Format: PDF/Adobe Acrobat

Supplemental Result - [Similar pages](#) - [Remove result](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Try your search again on [Google Book Search](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)

Google	
News	< ▾
New lines of communication Financial Times 3 hrs ago	
Email	< ▾
Lunch tomorrow? Mandy MY <.. 11 min ago	
61°F Clear - Mount	< ▾
DJI 10434.87 -84.	< ▾
Type to search	
11:22 AM	

"receiver pll" "transmitter pll" simplex:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

**Basic Search**

[Advanced Search](#) [Search Preferences](#)

"receiver pll" AND "transmitter pll" AND simplex

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

---

**Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:**

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
  - check the spelling of all words
  - spell words in a different way, for example using American spelling
  - write abbreviations and acronyms in full
  - use alternative words that have the same meaning
  - search using fewer or more general words
- 

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)  
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006



# SCIRUS

for scientific information only

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)

**Basic Search**

[Advanced Search](#) [Search Preferences](#)

"receiver pll" AND "transmitter pll" AND GSM

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

---

**Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:**

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
  - check the spelling of all words
  - spell words in a different way, for example using American spelling
  - write abbreviations and acronyms in full
  - use alternative words that have the same meaning
  - search using fewer or more general words
- 

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)  
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006



Welcome United States Patent and Trademark Office

**□ Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "( ( receiver pll&lt;in&gt;metadata ) &lt;and&gt; ( transmitter pll&lt;in&gt;metadata ) )"

e-mail printer

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising search.

Indexed by  
 Inspect<sup>®</sup>[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

**□ Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "( ( pll receiver&lt;in&gt;metadata ) &lt;and&gt; ( pll transmitter&lt;in&gt;metadata ) )"

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer

**» Search Options**[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising search.

indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE -- All Rights Reserved



Day : Tuesday  
Date: 3/14/2006  
Time: 08:31:17

## Inventor Name Search Result

Your Search was:

Last Name = JO

First Name = KANG-HYUN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">09966507</a>	Not Issued	71	09/28/2001	Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	JO, KANG-HYUN

Inventor Search Completed: No Records to Display.

**Search Another: Inventor**

<b>Last Name</b>	<b>First Name</b>
<input type="text" value="JO"/>	<input type="text" value="KANG-HYUN"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday  
Date: 3/14/2006  
Time: 08:30:01

 **PALM INTRANET**

## Inventor Information for 09/966507

Inventor Name	City	State/Country
JO, KANG-HYUN	SEOUL	KOREA, REPUBLIC OF
LEE, KYUNG-MIN	SEOUL	KOREA, REPUBLIC OF

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventor](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYUNG-MIN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">08777761</a>	<a href="#">5903600</a>	150	12/30/1996	AUTOMATIC FREQUENCY CONTROL CIRCUIT FOR DIGITAL RADIO COMMUNICATION SYSTEM	LEE, KYUNG-MIN
<a href="#">09737372</a>	<a href="#">6546234</a>	150	12/15/2000	APPARATUS AND METHOD FOR COMPENSATING RECEIVED SIGNAL STRENGTH INDICATOR ACCORDING TO TEMPERATURE	LEE, KYUNG-MIN
<a href="#">09966507</a>	Not Issued	71	09/28/2001	Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	LEE, KYUNG-MIN
<a href="#">10177723</a>	<a href="#">6788254</a>	150	06/21/2002	WIDEBAND INTERNAL ANTENNA WITH ZIGZAG-SHAPED CONDUCTIVE LINE	LEE, KYUNG-MIN
<a href="#">10896964</a>	Not Issued	20	07/23/2004	Computer system	LEE, KYUNG-MIN
<a href="#">11349169</a>	Not Issued	20	02/08/2006	Method for reconfiguring application using subtyping-based flexible service adaptation in pervasive computing environment and system thereof	LEE, KYUNG-MIN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

LEE

First Name

KYUNG-MIN

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)